

**To:** Deltoral, Miguel[deltoral.miguel@epa.gov]  
**From:** Donnelly, Peggy  
**Sent:** Fri 1/27/2017 6:56:16 PM  
**Subject:** Re: East Chicago - water materials for Open House

Ah, got it! My bad. I thought it was part of your presentation. Ha!!

See you in the morning!

Peg Donnelly  
U.S.EPA, R5, Water Division  
77 W Jackson, Chicago IL  
312.886.6109 office  
312.914.4794 cell

Sent from my iPhone

On Jan 27, 2017, at 11:29 AM, Deltoral, Miguel <[deltoral.miguel@epa.gov](mailto:deltoral.miguel@epa.gov)> wrote:

The tables are for EPA folks and are not part of the presentation, so I think we're fine.

Miguel A. Del Toral  
Regulations Manager  
U.S. EPA R5 GWDWB  
77 West Jackson Blvd, (WG-15J)  
Chicago, IL 60604  
Phone: (312) 886-5253

---

**From:** Donnelly, Peggy  
**Sent:** Friday, January 27, 2017 11:20:47 AM  
**To:** Deltoral, Miguel  
**Cc:** Porter, Andrea; Poy, Thomas; Bair, Rita; Sulej, Erik; Drexler, Timothy; Hassan, Jacob; Haag, Daniel; Alcamo, Thomas  
**Subject:** Re: East Chicago - water materials for Open House

MDT - one minor suggestion, in the tables make note that "service line material" is only for the private side / what is coming into the home. We want to make it clear that we do NOT know what material the public portion is made of. (Especially if someone sees the slides, but does not listen to your presentation...)

Peg Donnelly  
U.S.EPA, R5, Water Division  
77 W Jackson, Chicago IL  
312.886.6109 office  
312.914.4794 cell

Sent from my iPhone

On Jan 27, 2017, at 10:03 AM, Deltoral, Miguel <[deltoral.miguel@epa.gov](mailto:deltoral.miguel@epa.gov)> wrote:

Hi all,

Attached are the updated graphs/tables.

Erik - Can you please print me a color copy for the water booth?

Miguel A. Del Toral  
Regulations Manager  
U.S. EPA R5 GWDWB  
77 West Jackson Blvd, (WG-15J)  
Chicago, IL 60604  
Phone: (312) 886-5253

---

**From:** Porter, Andrea  
**Sent:** Friday, January 27, 2017 8:59:04 AM  
**To:** Poy, Thomas; Deltoral, Miguel; Donnelly, Peggy; Korleski, Christopher  
**Cc:** Rowan, Anne; Kelley, Jeff; Pope, Janet  
**Subject:** RE: East Chicago - water materials for Open House

Hi All,

I have the flash drive with the letters on it. Plus, Tom Poy does have one hard copy of each, too.

Thanks,

Andrea Porter

Environmental Engineer  
Ground Water & Drinking Water Branch  
U.S. EPA, Region 5 (WG-15J)

77 W. Jackson Blvd.

Chicago, IL 60604

Phone: 312-886-4427

Fax: 312-697-2656

**From:** Poy, Thomas

**Sent:** Friday, January 27, 2017 8:16 AM

**To:** Deltoral, Miguel <[deltoral.miguel@epa.gov](mailto:deltoral.miguel@epa.gov)>; Donnelly, Peggy <[Donnelly.Peggy@epa.gov](mailto:Donnelly.Peggy@epa.gov)>; Porter, Andrea <[porter.andrea@epa.gov](mailto:porter.andrea@epa.gov)>; Korleski, Christopher <[korleski.christopher@epa.gov](mailto:korleski.christopher@epa.gov)>

**Cc:** Rowan, Anne <[rowan.anne@epa.gov](mailto:rowan.anne@epa.gov)>; Kelley, Jeff <[kelley.jeff@epa.gov](mailto:kelley.jeff@epa.gov)>; Pope, Janet <[Pope.Janet@epa.gov](mailto:Pope.Janet@epa.gov)>

**Subject:** RE: East Chicago - water materials for Open House

Erik was going to put the letters onto a flash drive for Andrea. Chris and I have hard copies.

---

Tom Poy

Chief, Ground Water and Drinking Water Branch

USEPA - Region 5

(312) 886-5991

**From:** Deltoral, Miguel

**Sent:** Friday, January 27, 2017 7:11 AM

**To:** Donnelly, Peggy <[Donnelly.Peggy@epa.gov](mailto:Donnelly.Peggy@epa.gov)>; Porter, Andrea <[porter.andrea@epa.gov](mailto:porter.andrea@epa.gov)>; Poy, Thomas <[poy.thomas@epa.gov](mailto:poy.thomas@epa.gov)>; Korleski, Christopher <[korleski.christopher@epa.gov](mailto:korleski.christopher@epa.gov)>

**Cc:** Rowan, Anne <[rowan.anne@epa.gov](mailto:rowan.anne@epa.gov)>; Kelley, Jeff <[kelley.jeff@epa.gov](mailto:kelley.jeff@epa.gov)>; Pope, Janet <[Pope.Janet@epa.gov](mailto:Pope.Janet@epa.gov)>

**Subject:** Re: East Chicago - water materials for Open House

I did not have a chance to copy these files onto a flash drive.

Rita - I remember we talked about this but I can't recall who was going to do this (Erik?)

Miguel A. Del Toral

Regulations Manager  
U.S. EPA R5 GWDWB  
77 West Jackson Blvd, (WG-15J)  
Chicago, IL 60604  
Phone: (312) 886-5253

---

**From:** Donnelly, Peggy  
**Sent:** Thursday, January 26, 2017 8:40:09 PM  
**To:** Deltoral, Miguel; Porter, Andrea; Poy, Thomas; Korleski, Christopher  
**Cc:** Rowan, Anne; Kelley, Jeff; Pope, Janet  
**Subject:** Re: East Chicago - water materials for Open House

I do not have resident results letter either in hard copy or electronic copies on thumb drive... Andrea or MDT, are you already bringing those? Or need me to help?

Peg Donnelly

U.S.EPA, R5, Water Division

77 W Jackson, Chicago IL

312.886.6109 office

312.914.4794 cell

Sent from my iPhone

On Jan 26, 2017, at 8:30 PM, Donnelly, Peggy <[Donnelly.Peggy@epa.gov](mailto:Donnelly.Peggy@epa.gov)> wrote:

Hi folks –

I have the following materials in the GOV that I will be bringing to the Open House in East Chicago on Saturday:

- Five mounted posters (map of sequential sites, list of analytes, general

drinking water treatment graphic, LSL graphic with sequential graph, photos of sampling)

- Two copies of the Z2 and Z3 "master" spreadsheets with water results (one copy with PII, one with PII removed)
- Pamphlets for reducing lead risk in your home, and lead paint (in English and Spanish)
- Pipes (Pb, galvanized, and maybe Cu) and a magnet - MIGUEL, YOUR DEMO PIPES ARE BETTER IF YOU CAN BRING THEM?
- Faucet, filters, and cartridges for demonstration
- Cooler of sequential water sample bottles
- Field instruments (pH and chlorine)

At my desk there are two more boxes of handout materials with lead paint information. Janet, if you think more of these are helpful, you are welcome to get them from my desk (16-125).

I will be in meetings in Portage, IN tomorrow (Friday) and not planning to come into the office. But, if you need me to stop and pick up more materials for the Open House, let me know and I can swing thru the city around 4:30 pm.

Also, if anyone needs a ride on Saturday, I will be coming from the far Northwest suburbs, and I'm glad to pick you up along the way (or at the office). Otherwise, I'll see you at the school around 10 am. JANET, IF YOU NEED HELP SETTING THINGS UP EARLIER THAN 10 AM, I'M GLAD TO HELP, JUST HOLLAR.

-Peg

Peg Donnelly

U.S. EPA, R5, Water Division

77 W Jackson Blvd

Chicago IL 60604

312.886.6109 office

312.914.4794 cell

[donnelly.peggy@epa.gov](mailto:donnelly.peggy@epa.gov)

<East Chicago Graphs ALL SITES with summaries updated 2017-01-22 (non-PII version).pdf>